Acknowledgments

This work was supported and managed by the U.S. Department of Energy, Yucca Mountain Site Characterization Office (YMP) as part of the Civilian Radioactive Waste Management Program. Data acquired as part of this activity and presented in this report were developed under YMP quality assurance procedures; their QA status and traceability to data tracking numbers or YMP notebooks are given in Appendix D. The record package containing traceability information for this report is LA-EES-1-TIP-97-004.

The YMP Test Coordination Office supported field sample collection in the ESF tunnel. We are grateful for sampling advice from S. Beason. In the laboratory, the efficient and seemingly tireless competence of J. Watt helped us maintain a high rate of sample processing. X. Ma and T. Miller were among the many individuals at PRIME Laboratory who worked assiduously to ensure timely and accurate isotopic analyses.

References

- Albin, A.L., Singleton, W.L., Moyer, T.C., Lee, A.C., Lung, R.C., Eatman, G.L.W. and Barr, D.L. (1997). Geology of the Main Drift Station 28+00 to 55+00, Exploratory Studies Facility, Yucca Mountain Project, Yucca Mountain, Nevada, Report to the U.S. Department of Energy, DTN GS970208314224.005.
- Anna, L.O. (in press). Preliminary three-dimensional discrete fracture model of the Topopah Spring Tuff in the Exploratory Studies Facility, Yucca Mountain area, Nye County, Nevada: U.S. Geological Survey Open-File Rept., 75 p.
- Anna, L., and Wallman, P. (in press). Characterizing the fracture network in the unsaturated zone at Yucca Mountain, Nevada, Part 2. Numerical simulation of flow based in a three-dimensional discrete fracture network. In Fractured Reservoirs: Descriptions, Predictions, and Applications, T.E. Hoak, P.K. Blomquist, and A.L. Klawitter, eds., Rocky Mountain Association of Geologists 1996 Guidebook.
- Barr, D.L., Moyer, T.C., Singleton, W.L., Albin, A.L., Lung, R.C., Lee, A.C., Beason, S.C., and Eatman, G.L.W. (1996). Geology of the North Ramp Stations 4+00 to 28+00, Exploratory Studies Facility, Yucca Mountain Project, Yucca Mountain, Nevada: Summary report by the U.S. Bureau of Reclamation to the U.S. Department of Energy, 258 p.
- Barton, C.C. (1984). Tectonic significance of fractures in welded tuff, Yucca Mountain, Nevada: Geological Society of America Abstracts with Programs **16**, no. 6, p. 438-439.
- Barton, C.C., Larsen, E., Page, W.R., and Howard, T.M. (1993). Characterizing fractured rock for fluid-flow, geomechanical, and paleostress modeling: Methods and preliminary results from Yucca Mountain, Nevada: U.S. Geological Survey Open-File Rept. 93-269, 62 p.
- Bevington, P.R., and Robinson, D.K. (1992). <u>Data Reduction and Error Analysis for the Physical Sciences</u>, McGraw-Hill, Inc., New York, 328 p.
- Bish, D.L., and Chipera, S.J. (1989). Revised Mineralogic Summary of Yucca Mountain, Nevada. Los Alamos National Laboratory Rept. LA-11497-MS, 68 p.
- Carlos, B.A. (1985). Minerals in Fractures of the Unsaturated Zone from Drill Core USW G-4, Yucca Mountain, Nye County, Nevada. Los Alamos National Laboratory Rept. LA-10415-MS, 55 p.
- Carlos, B.A., Chipera, S.J., Bish, D.L., and Craven, S.J. (1993). Fracture-lining manganese oxide minerals in silicic tuff, Yucca Mountain, Nevada, U.S.A. Chemical Geology **107**, 47-69.
- Chipera, S.J., Vaniman, D.T., Carlos, B.A., and Bish D.L. (1995). Mineralogic Variation in Drill Core UE-25 UZ#16, Yucca Mountain, Nevada. Los Alamos National Laboratory Rept. LA-12810-MS, 39 p.
- Chipera, S.J., Vaniman, D.T., and Bish, D.L. (1996). Zeolite Abundances and the Vitric-to-Zeolitic Transition in Drill Holes USW SD-7, 9, and 12, Yucca Mountain, Nevada. Los Alamos National Laboratory Yucca Mountain Milestone Rept. LA4240.
- Chung, F.H. (1974a). Quantitative Interpretation of X-Ray Diffraction Patterns of Mixtures. I. Matrix-Flushing Method for Quantitative Multicomponent Analysis. J. Appl. Crystallogr. 7, 519-525.
- Chung, F.H. (1974b). Quantitative Interpretation of X-Ray Diffraction Patterns of Mixtures. II. Adiabatic Principle of X-Ray Diffraction Analysis of Mixtures. J. Appl. Crystallogr. 7, 526-531.
- Cowan, D.L., Priest, V., and Levy, S.S. (1993). ESR Dating of Quartz From Exile Hill, Nevada. Appl. Radiat. Isot. 44, 1035-1039.
- Day, W.C., Potter, C.J., Sweetkind, D.S., Dickerson, R.P., and San Juan, C.A. (1996). Bedrock Geologic Map of the Central Block Area, Yucca Mountain, Nevada: U.S. Geological Survey Administrative Report to the U.S. Department of Energy, 2 plates with accompanying text, scale 1:6,000.
- Engstrom, D.A., and Rautman, C.A. (1996). Geology of the USW SD-9 drill hole, Yucca Mountain, Nevada: Sandia Report SAND-96-2030, 128 p.
- Fabryka-Martin, J.T., Wolfsberg, A.V., Dixon, P.R., Levy, S.S., Musgrave, J, and Turin, H.J. (in press). Summary Report of Chlorine-36 Studies: Systematic Sampling for Chlorine-36 in the Exploratory Studies Facility, Los Alamos National Laboratory, YMP Level 3 Milestone Rept. 3783M.
- Flint, A.L., and Flint, L.E. (1994). Spatial distribution of potential near surface moisture flux at Yucca Mountain, Nevada. In *High Level Radioactive Waste Management, Proceedings of the Fourth International Conference*, American Nuclear Society, La Grange Park, Ill., 2352-2358.
- Flint, L.E., and Flint, A.L. (1995). Shallow infiltration processes at Yucca Mountain, Nevada Neutron logging data 1984-93: U.S. Geological Survey Water-Resources Investigations Report 95-4035, 46 p.

References -- continued

- Flint, A.L., Hevesi, J.A., and Flint, L.E. (in press). Conceptual and Numerical Model of Infiltration for the Yucca Mountain Area, Nevada. U.S. Geological Survey report, Yucca Mountain Project Milestone Report 3GUI623M.
- Glasstone, S., ed. (1962). <u>The Effects of Nuclear Weapons</u>, Revised Edition, U.S. Atomic Energy Commission, Washington D.C., 730 p.
- Hudson, M.R., Sawyer, D.A., and Warren, R.G. (1994). Paleomagnetism and rotation constraints for the middle Miocene southwestern Nevada volcanic field: Tectonics 13, 258-277.
- La Pointe, P.R., and Hudson, J.A. (1985). Characterization and interpretation of rock mass joint patterns. Geological Society of America Special Paper **199**, 37 p.
- Levy, S.S. (1991). Mineralogic Alteration History and Paleohydrology at Yucca Mountain, Nevada. In *Proc. 2nd Annual Int. Conf. On High-Level Radioactive Waste Management*, Las Vegas, Nevada, American Nuclear Society and American Society of Civil Engineers, La Grange, IL and New York, NY, 477-485.
- Levy, S.S. (1993). Surface-Discharging Hydrothermal Systems at Yucca Mountain Examining the Evidence. In *Scientific Basis for Nuclear Waste Management XVI*, C.G. Interrante and R.T. Pabalan, eds., Material Research Society Symposium Proceedings **294**, Materials Research Society, Pittsburgh, 543-548.
- Levy, S.S., and O'Neil, J.R. (1989). Moderate-temperature zeolitic alteration in a cooling pyroclastic deposit. Chemical Geology **76**, 321-326.
- Levy, S.S., Norman, D.I., and Chipera, S.J. (1996). Alteration History Studies in the Exploratory Studies Facility, Yucca Mountain, Nevada, USA. In *Scientific Basis for Nuclear Waste Management XIX*, W.M. Murphy and D.A. Knecht, eds., Materials Research Society Symposium Proceedings **412**, Materials Research Society, Pittsburgh, PA 783-790.
- Levy, S.S., and Chipera, S.J. (1997). Mineralogy, Alteration, and Hydrologic Properties of the PTn Hydrologic Unit, Yucca Mountain, Nevada. Los Alamos National Laboratory YMP Level 4 Milestone Rept. SP344DM4.
- Levy, S.S., Fabryka-Martin, J.T., Dixon, P.R., Liu, B., Turin, H.J., and Wolfsberg, A.V. (in press). Chlorine-36 Investigations of Groundwater Infiltration in the Exploratory Studies Facility at Yucca Mountain, Nevada. In Scientific Basis for Nuclear Waste Management XIX, W. Gray and I Triay, eds., Material Research Society Symposium Proceedings, Materials Research Society, Pittsburgh, PA.
- Montazer, P. and Wilson, W.E. (1984). Conceptual hydrologic model of flow in the unsaturated zone, Yucca Mountain, Nevada: U.S. Geological Survey Water Resources Investigation Report 84-4345, 55 p.
- Moyer, T.C., Geslin, J.K., and Flint, L.E. (1996). Stratigraphic relations and hydrologic properties of the Paintbrush Tuff nonwelded (PTn) hydrologic units, Yucca Mountain, Nevada: U.S. Geological Survey Open-File Rept. 95-397, 151 p.
- Odling, N. (1995). The development of network properties in natural fracture patterns: an example from the Devonian sandstones of western Norway. In *Proceedings of the Conference on fractured and jointed rock masses*, L.R. Myer, C.-F. Tsang, N.W.G. Cooks, and R.E. Goodman, eds., A.A. Balkema Pubs., Rotterdam, 35-41
- O'Neill, J.M., Whitney, J.W., and Hudson, M.R. (1992). Photogeologic and kinematic analysis of lineaments at Yucca Mountain, Nevada-implications for strike-slip faulting and oroclinal bending: U.S. Geological Survey Open-File Rept. 91-623, 23 p.
- Ortiz, T.S., Williams, R.L., Nimick, F.B., and South, D.L. (1985). A three-dimensional model of reference thermal/mechanical and hydrological stratigraphy at Yucca Mountain, southern Nevada: Sandia National Laboratories Rept. SAND84-1076, Albuquerque, NM.
- Paces, J.B., Neymark, L.A., Marshall, B.D., Whelan, J.F., and Peterman Z.E. (1996). Ages and Origins of Subsurface Secondary Minerals in the Exploratory Studies Facility (ESF), U.S. Geological Survey Yucca Mountain Project Branch 1996 Milestone Rept. 3GQH450M.
- Potter, C.J., Day, W.C., and Sweetkind, D.S. (1996a). Structural evolution of the potential high-level nuclear waste repository site at Yucca Mountain, Nevada (abs.): Geological Society of America Abstracts with Programs 28, no. 7, A-191.
- Potter, C.J., Day, W.C., Sweetkind, D.S., and Dickerson, R.P. (1996b). Fault styles and strain accommodation in the Tiva Canyon Tuff, Yucca Mountain, Nevada (abs.): EOS, Transactions, American Geophysical Union 77, S265.

References -- continued

- Potter, C.J., Dickerson, R.P., and Day, W.C. (1995). Nature and continuity of the Sundance fault, Yucca Mountain, Nevada: U.S. Geological Survey Administrative Report to the U.S. Department of Energy, 26 p., 3 plates.
- Rosenbaum, J.G., Hudson, M.R., and Scott, R.B. (1991). Paleomagnetic constraints on the geometry and timing of deformation at Yucca Mountain, Nevada: Journal of Geophysical Research **96**, 1963-1979.
- Sawyer, D.A., Fleck, R.J., Lamphere, M.A., Warren, R.G., Broxton, D.E., and Hudson, R. (1994). Episodic caldera volcanism in the Miocene southwestern Nevada Volcanic Field: Revised stratigraphic framework, ⁴⁰Ar/³⁹Ar geochronology, and implications for magmatism and extension: Geological Society of America Bulletin **106**, 1304-1318.
- Scott, R.B. (1990). Tectonic setting of Yucca Mountain, southwest Nevada, in Wernicke, B.P., ed., Basin and Range extensional tectonics near the latitude of Las Vegas, Nevada: Boulder, Colorado, Geological Society of America Memoir 176, 251-282.
- Simonds, F.W., Whitney, J.W., Fox, K.F., Ramelli, A.R., Yount, J.C., Carr, M.D., Menges, C.M., Dickerson, R.P., and Scott, R.B. (1995). Map showing fault activity in the Yucca Mountain area, Nye County, Nevada: U.S. Geological Survey Miscellaneous Investigations Map I-2520, scale 1:24,000.
- Sweetkind, D.S., Beason, S.C., Potter, C.J., Lung, R., Day, W.C., and Barr, D. (1996a). Correlation between surface and subsurface features at Yucca Mountain, Nevada (abs.). Geological Society of America Abstracts with Programs 28, no. 7, A-521.
- Sweetkind, D.S., Potter, C.J., and Verbeek, E.R. (1996b). Interaction between faults and the fracture network at Yucca Mountain, Nevada: EOS, Transactions, American Geophysical Union 77, S266.
- Sweetkind, D.S., Verbeek, E.R., Geslin, J.K, and Moyer, T.C. (1995a). Fracture character of the Paintbrush Tuff nonwelded hydrologic unit, Yucca Mountain, Nevada, U.S. Geological Survey Administrative Report to the U.S. Department of Energy, 202 p, 1 plate.
- Sweetkind, D.S., Verbeek, E.R., Singer, F.R., Byers, F.M., Jr., and Martin, L.G. (1995b). Surface fracture network at pavement P2001, Fran Ridge, near Yucca Mountain, Nye County, Nevada: U.S. Geological Survey Administrative Report to the U.S. Department of Energy, 130 p, 1 plate.
- Sweetkind, D.S., and Williams-Stroud, S. (1995). Controls on the genesis of fracture networks, Paintbrush Group, Yucca Mountain, Nevada: EOS, Transactions, American Geophysical Union **76**, F597.
- Sweetkind, D.S. and Williams-Stroud, S. (1996). Characteristics of fractures at Yucca Mountain, Nevada: Synthesis Report: U.S. Geological Survey Administrative Report to the U.S. Department of Energy, 124 p.
- Throckmorton, C.K., and Verbeek, E.R. (1995). Joint networks in the Tiva Canyon and Topopah Spring Tuffs of the Paintbrush Group, southwestern Nevada: U.S. Geological Survey Open File Rept. 95-2, 179 p.
- Vaniman, D.T., Chipera, S.J., and Bish D.L. (1995). Petrography, Mineralogy, and Chemistry of Calcite-Silica Deposits at Exile Hill, Nevada, Compared with Local Spring Deposits. Los Alamos National Laboratory Rept LA-13096-MS, 70 p.
- Weeks, E.P. (1987). Effect of topography on gas flow in unsaturated zone: Concepts and observations. In D.D. Evans, and T.J. Nicholson, eds., <u>Flow and Transport through Unsaturated Fractured Rock</u>. American Geophysical Union, Washington, D.C., 165-170.
- Whelan, J.F., and Stuckless, J.S. (1992). Paleohydrologic Implications of the Stable Isotopic Composition of Secondary Calcite within the Tertiary Volcanic Rocks of Yucca Mountain, Nevada. In *Proc. 3rd Annual Int. Conf. on High Level Radioactive Waste Management*, Las Vegas, Nevada, American Nuclear Society and American Society of Civil Engineers, La Grange, IL, and New York, NY, 1572-1581.
- Whelan, J.F., Moscati, R.J., Allerton, S.B.M., and Marshall, B.D. (1996). Applications of Isotope Geochemistry to the Reconstruction of Yucca Mountain Paleohydrology. U.S. Geological Survey Yucca Mountain Project Branch milestone 3GQH257M, 17 p. plus appendix.